AUTHOR INDEX VOLUME 142

A

Abbe, P. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Abe, E. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Abrieu, A. *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
Adams, C.L., Chen, Y.-T., Smith, S.J., and Nelson, W.J. Mechanisms of epithelial cell–cell adhesion and cell compaction revealed by high-resolution tracking of E-cadherin–green fluorescent protein. 1105.
Adamson, E.D. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Adebanjo, O.A., Moonga, B.S., Yamate, T., Sun, L., Minkin, C., Abe, E., and Zaidi, M. Mode of action of interleukin-6 on mature osteoclasts. Novel interactions with extracellular Ca^{2+} sensing in the regulation of osteoclastic bone resorption. 1347.
Aebi, M. *See* Jakob, Burda, Roth, and Aebi.
Ahn, N.G. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
Ai, H. *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
Aissouni, Y. *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
Albertinazzi, C., Gilardelli, D., Paris, S., Longhi, R., and de Curtis, I. Overexpression of a neural-specific Rho family GTPase, cRac1B, selectively induces enhanced neuritogenesis and neurite branching in primary neurons. 815.
Alberts, B.M. *See* Moritz, Zheng, Alberts, and Oegema.
Almeida, F., Saffrich, R., Ansorge, W., and Carmo-Fonseca, M. Microinjection of anti-coilin antibodies affects the structure of coiled bodies. 899.
Almouzni, G. *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.
Alzhanova-Ericsson, A.T. *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
Ambesi-Impiombato, F.S. *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
Anderson, J.M. *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
Anderson, R.G.W. *See* Kamal, Ying, and Anderson.
— *See* Kibbey, Rizo, Gierasch, and Anderson.
Andone, S. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Ansorge, W. *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
Arthur, K. *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.

B

Babia, T. *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
Balice-Gordon, R.J., Bone, L.J., and Scherer, S.S. Functional gap junctions in the Schwann cell myelin sheath. 1095.
Balkir, L. *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
Ballotti, R. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Barbot, L. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Barlowe, C. *See* Powers and Barlowe.
Barz, W.P. *See* Ogg, Barz, and Walter.
Bear, J.E., Rawls, J.F., and Saxe, C.L., III. SCAR, a WASP-related protein, isolated as a suppressor of receptor defects in late *Dictyostelium* development. 1325.
Belmont, L.D., and Drubin, D.G. The yeast V159N actin mutant reveals roles for actin dynamics in vivo. 1289.
Bennett, V. *See* Matsuoka, Li, and Bennett.
— *See* Zhang and Bennett.
Bertolotto, C., Abbe, P., Hemesath, T.J., Bille, K., Fisher, D.E., Ortonne, J.-P., and Ballotti, R. Microphthalmia gene product as a signal transducer in cAMP-induced differentiation of melanocytes. 827.
Besati, C. *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
Bevilacqua, A. *See* Sette, Bevilacqua, Geremia, and Rossi.
Bi, E., Maddox, P., Lew, D.J., Salmon, E.D., McMillan, J.N., Yeh, E., and Pringle, J.R. Involvement of an actomyosin contractile ring in *Saccharomyces cerevisiae* cytokinesis. 1301.
Bille, K. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Björkroth, B. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Bochaton-Piallat, M.-L. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Bonaccorsi, S., Giansanti, M.G., and Gatti, M. Spindle self-organization and cytokinesis during male meiosis in *asterless* mutants of *Drosophila melanogaster*. 751.
Bond, M. *See* Yang, Drazba, Ferguson, and Bond.
Bone, L.J. *See* Balice-Gordon, Bone, and Scherer.
Bonifacino, J.S. *See* Ooi, Dell'Angelica, and Bonifacino.
Bonilha, V.L. *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
Borradori, L. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Borsi, L. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Bosc, C. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
Botchan, M.R. *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
Bourguet-Kondracki, M.L. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Braakman, I. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
Braun, P.E. *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
Briscoe, G. *See* Melby, Ciampaglio, Briscoe, and Erickson.
Brismar, H. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Brokamp, R. *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
Brondello, J.-M. *See* Lenormand, Brondello, Brunet, and Pouysségur.
Brown, C.J. *See* Clemson, Chow, Brown, and Lawrence.
Brown, E.J. *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
Brown, K. *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
Bruckner, P. *See* Hagg, Bruckner, and Hedbom.
Brugge, J.S. *See* Clark, King, Brugge, Symons, and Hynes.
Brundell, E. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Brunet, A. *See* Lenormand, Brondello, Brunet, and Pouysségur.
Brunner, J. *See* Mothes, Jungnickel, Brunner, and Rapoport.
Bryant, N.J., Piper, R.C., Weisman, L.S., and Stevens, T.H. Retrograde traffic out of the yeast vacuole to the TGN occurs via the prevacuolar/endosomal compartment. 651.
Burd, C.G. *See* Darsow, Burd, and Emr.
Burda, P. *See* Jakob, Burda, Roth, and Aebi.
Butow, R.A. *See* Okamoto, Perlman, and Butow.

C

Callaini, G. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Camacho, P. *See* John, Lechleiter, and Camacho.
Campbell, K.P. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Carmo-Fonseca, M. *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
Carnac, G. *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
Cassio, D. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Catling, A.D. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Cecchini, G. *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.

Celeste, A.J. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Cerione, R.A. *See* Osman and Cerione.
Chabin, K. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Chang, S. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Chen, D., Ji, X., Harris, M.A., Feng, J.Q., Karsenty, G., Celeste, A.J., Rosen, V., Mundy, G.R., and Harris, S.E. Differential roles for bone morphogenetic protein (BMP) receptor type IB and IA in differentiation and specification of mesenchymal precursor cells to osteoblast and adipocyte lineages. 295.
Chen, Y.-T. *See* Adams, Chen, Smith, and Nelson.
Chishti, A.H. *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
Chitaev, N.A., and Troyanovsky, S.M. Adhesive but not lateral E-cadherin complexes require calcium and catenins for their formation. 837.
Choudhury, A. *See* Xu, Choudhury, Li, and Montell.
Chow, J.C. *See* Clemson, Chow, Brown, and Lawrence.
Chuang, J.-Z., and Sung, C.-H. The cytoplasmic tail of rhodopsin acts as a novel apical sorting signal in polarized MDCK cells. 1245.
Ciampaglio, C.N. *See* Melby, Ciampaglio, Briscoe, and Erickson.
Clark, E.A., King, W.G., Brugge, J.S., Symons, M., and Hynes, R.O. Integrin-mediated signals regulated by members of the Rho family of GTPases. 573.
Clase, K.L. *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
Clemson, C.M., Chow, J.C., Brown, C.J., and Lawrence, J.B. Stabilization and localization of Xist RNA are controlled by separate mechanisms and are not sufficient for X inactivation. 13.
Clendenin, C.J. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
Clerk, A., Michael, A., and Sugden, P.H. Stimulation of the p38 mitogen-activated protein kinase pathway in neonatal rat ventricular myocytes by the G protein–coupled receptor agonists, endothelin-1 and phenylephrine: A role in cardiac myocyte hypertrophy? 523.
Cohen, A. *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
Cohen, A.R., Woods, D.F., Marfatia, S.M., Walther, Z., Chishti, A.H., and Anderson, J.M. Human CASK/LIN-2 binds syndecan-2 and protein 4.1 and localizes to the basolateral membrane of epithelial cells. 129. Correction. 1157.
— *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Cole, R.W. *See* Rieder and Cole.
Cooper, J.A. *See* Karpova, McNally, Moltz, and Cooper.
Coopman, P.J.P. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Coulombe, P.A. *See* Paladini and Coulombe.
Craig, R. *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
Critchley, D.R. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Crompton, M. *See* Duchen, Leyssens, and Crompton.
Crosbie, R.H. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Csaky, K.G. *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
Curci, S. *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
Cushman, S.W. *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
Cuvillier, O. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.

D

Daneholt, B. *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
— *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Darsow, T., Burd, C.G., and Emr, S.D. Acidic di-leucine motif essential for AP-3–dependent sorting and restriction of the functional specificity of the Vam3p vacuolar t-SNARE. 913.
David, S. *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
Davidson, B.L. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Davidson, N. *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
Davis, N.G. *See* Roth, Sullivan, and Davis.
Davis, T.N. *See* Stevens and Davis.
Debellis, L. *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
de Curtis, I. *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
De Filippi, R. *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
Dejana, E. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Dell'Angelica, E.C. *See* Ooi, Dell'Angelica, and Bonifacino.
Denarier, E. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
DiPersio, C.M. *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.
Distel, B. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
Dobrina, A. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Dominov, J.A., Dunn, J.J., and Miller, J.B. Bcl-2 expression identifies an early stage of myogenesis and promotes clonal expansion of muscle cells. 537.
Dorée, M. *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
Drazba, J.A. *See* Yang, Drazba, Ferguson, and Bond.
Drechou, A. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Dressler, G.R. *See* Tang, Worley, Sanicola, and Dressler.
Drubin, D.G. *See* Belmont and Drubin.
— *See* Goode, Drubin, and Lappalainen.
Dubreuil, R.R. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Duchen, M.R., Leyssens, A., and Crompton, M. Transient mitochondrial depolarizations reflect focal sarcoplasmic reticular calcium release in single rat cardiomyocytes. 975.
Duclos, F., Straub, V., Moore, S.A., Venzke, D.P., Hrstka, R.F., Crosbie, R.H., Durbeej, M., Lebakken, C.S., Ettinger, A.J., van der Meulen, J., Holt, K.H., Lim, L.E., Sanes, J.R., Davidson, B.L., Faulkner, J.A., Williamson, R., and Campbell, K.P. Progressive muscular dystrophy in α-sarcoglycan–deficient mice. 1461.
Dunn, G.A. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Dunn, J.J. *See* Dominov, Dunn, and Miller.
Dunphy, W.G. *See* Kumagai, Guo, Emami, Wang, and Dunphy.
Durand, G. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Durbeej, M. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.

E

Eblen, S.T. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Edidin, M. *See* Kenworthy and Edidin.
Edsall, L. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Egea, G. *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
Ehrengruber, M.U. *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
Elia, L., and Marsh, L. A role for a protease in morphogenic responses during yeast cell fusion. 1473.
Emami, K.H. *See* Kumagai, Guo, Emami, Wang, and Dunphy.
Emr, S.D. *See* Darsow, Burd, and Emr.
— *See* Seaman, McCaffery, and Emr.
Enikolopov, G.N. *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
Erickson, H.P. *See* Melby, Ciampaglio, Briscoe, and Erickson.
Erlandsen, S.L. *See* Setiadi, Sedgewick, Erlandsen, and McEver.
Ettinger, A.J. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.

F

Fanti, L. *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
Faulkner, J.A. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.

Feng, J.Q. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Ferguson, D.G. *See* Yang, Drazba, Ferguson, and Bond.
Fernandez, A. *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
Ferrero, E. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Filipeanu, C.M. *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
Finger, F.P., and Novick, P. Spatial regulation of exocytosis: Lessons from yeast. 609.
Finnemann, S.C. *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
Fisher, D.E. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Flørenes, V.A. *See* St. Croix, Sheehan, Rak, Flørenes, Slingerland, and Kerbel.
Fotedar, R. *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
Fourest-Lieuvin, A. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
Frankel, J. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Franklin, J.L., and Johnson, E.M., Jr. Control of neuronal size homeostasis by trophic factor–mediated coupling of protein degradation to protein synthesis. 1313.
Fränzer, J.-T. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Freemont, P.S. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Froehner, S.C. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Fruscella, P. *See* Martin-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Fujimoto, K. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Fujimura-Kamada, K. *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.

G

Gabbiani, G. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Gan, Y.C. *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
Gardner, H.A. *See* Pozzi, Wary, Giancotti, and Gardner.
Garner, C.C. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Gatti, M. *See* Bonaccorsi, Giansanti, and Gatti.
Geerts, D. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Geinoz, A. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Gelfand, V.I. *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
Geraud, G. *See* Lemaitre, Geraud, and Mechali.
Geremia, R. *See* Sette, Bevilacqua, Geremia, and Rossi.
Ghosh, R.N., Mallet, W.G., Soe, T.T., McGraw, T.E., and Maxfield, F.R. An endocytosed TGN38 chimeric protein is delivered to the TGN after trafficking through the endocytic recycling compartment in CHO cells. 923.
Giancotti, F.G. *See* Pozzi, Wary, Giancotti, and Gardner.
Giansanti, M.G. *See* Bonaccorsi, Giansanti, and Gatti.
Gierasch, L.M. *See* Kibbey, Rizo, Gierasch, and Anderson.
Gigliotti, S., Callaini, G., Andone, S., Riparbelli, M.G., Pernas-Alonso, R., Hoffmann, G., Graziani, F., and Malva, C. *Nup154*, a new *Drosophila* gene essential for male and female gametogenesis is related to the *Nup155* vertebrate nucleoporin gene. 1195.
Gilardelli, D. *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
Gisler, R.H. *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
Goldberg, M.L. *See* Starr, Williams, Hays, and Goldberg.
Goode, B.L., Drubin, D.G., and Lappalainen, P. Regulation of the cortical actin cytoskeleton in budding yeast by twinfilin, a ubiquitous actin monomer-sequestering protein. 723.
Gorbsky, G.J. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Grady, R.M. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Graham, L.A., Hill, K.J., and Stevens, T.H. Assembly of the yeast vacuolar H^+-ATPase occurs in the endoplasmic reticulum and requires a Vma12p/Vma22p assembly complex. 39.
Graziani, F. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Guillaud, L., Bosc, C., Fourest-Lieuvin, A., Denarier, E., Pirollet, F., Lafanechère, L., and Job, D. STOP proteins are responsible for the high degree of microtubule stabilization observed in neuronal cells. 167.
Gundelfinger, E.D. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Guo, Z. *See* Kumagai, Guo, Emami, Wang, and Dunphy.
Guyot, M. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.

H

Ha, E. *See* Taylor, Ha, and McKeon.
Hack, A.A., Ly, C.T., Jiang, F., Clendenin, C.J., Sigrist, K.S., Wollmann, R.L., and McNally, E.M. γ-Sarcoglycan deficiency leads to muscle membrane defects and apoptosis independent of dystrophin. 1279.
Hagen, V. *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
Hagg, R., Bruckner, P., and Hedbom, E. Cartilage fibrils of mammals are biochemically heterogeneous: Differential distribution of decorin and collagen IX. 285.
Harlan, J.M. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Harris, M.A. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Harris, S.E. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Hauri, H.-P. *See* Vollenweider, Kappeler, Itin, and Hauri.
Hay, J.C., Klumperman, J., Oorschot, V., Steegmaier, M., Kuo, C.S., and Scheller, R.H. Localization, dynamics, and protein interactions reveal distinct roles for ER and Golgi SNAREs [141(7): 1489]: Correction. 885.
Hays, T.S. *See* Starr, Williams, Hays, and Goldberg.
Hedbom, E. *See* Hagg, Bruckner, and Hedbom.
Hemesath, T.J. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Hemmings, L. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Hernandez-Verdun, D. *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.
Herron, M. *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
Hettema, E.H., Ruigrok, C.C.M., Koerkamp, M.G., van den Berg, M., Tabak, H.F., Distel, B., and Braakman, I. The cytosolic DnaJ-like protein Djp1p is involved specifically in peroxisomal protein import. 421.
Hill, K.J. *See* Graham, Hill, and Stevens.
Hittle, J.C. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Hla, T. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Hodivala-Dilke, K.M., DiPersio, C.M., Kreidberg, J.A., and Hynes, R.O. Novel roles for α3β1 integrin as a regulator of cytoskeletal assembly and as a trans-dominant inhibitor of integrin receptor function in mouse keratinocytes. 1357.
Hoekstra, D. *See* van IJzendoorn and Hoekstra.
— *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
Hofer, A.M. *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
Hoffmann, G. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Holt, K.H. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Holzbaur, E.L.F. *See* Karki, LaMonte, and Holzbaur.
Homer, D. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Höög, C. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.

Hortsch, M., Homer, D., Malhotra, J.D., Chang, S., Frankel, J., Jefford, G., and Dubreuil, R.R. Structural requirements for outside-in and inside-out signaling by *Drosophila* neuroglian, a member of the L1 family of cell adhesion molecules. 251.
Hrstka, R.F. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Hsueh, Y.-P., Yang, F.-C., Kharazia, V., Naisbitt, S., Cohen, A.R., Weinberg, R.J., and Sheng, M. Direct interaction of CASK/LIN-2 and syndecan heparan sulfate proteoglycan and their overlapping distribution in neuronal synapses. 139.
Huang, D.W., Fanti, L., Pak, D.T.S., Botchan, M.R., Pimpinelli, S., and Kellum, R. Distinct cytoplasmic and nuclear fractions of *Drosophila* heterochromatin protein 1: Their phosphorylation levels and associations with origin recognition complex proteins. 307.
Huang, M. *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
Huard, J. *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
Hunt, A.J. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
Hunter, A.W. *See* Maney, Hunter, Wagenbach, and Wordeman.
Huppa, J.B. *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
Hynes, R.O. *See* Clark, King, Brugge, Symons, and Hynes.
— *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.

I

Imamura, Y. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Imhof, B.A. *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
Isaac, C., Yang, Y., and Meier, U.T. Nopp140 functions as a molecular link between the nucleolus and the coiled bodies. 319.
Itin, C. *See* Vollenweider, Kappeler, Itin, and Hauri.
Iwamatsu, A. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.

J

Jakob, C.A., Burda, P., Roth, J., and Aebi, M. Degradation of misfolded endoplasmic reticulum glycoproteins in *Saccharomyces cerevisiae* is determined by a specific oligosaccharide structure. 1223.
Jefford, G. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Ji, X. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Jiang, F. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
Job, D. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
— *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
John, L.M., Lechleiter, J.D., and Camacho, P. Differential modulation of SERCA2 isoforms by calreticulin. 963.
Johnson, E.M., Jr. *See* Franklin and Johnson.
Jones, N.C. *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
Jones, T.R. *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
Jou, T.-S., and Nelson, W.J. Effects of regulated expression of mutant RhoA and Rac1 small GTPases on the development of epithelial (MDCK) cell polarity. 85.
—, **Schneeberger, E.E., and Nelson, W.J.** Structural and functional regulation of tight junctions by RhoA and Rac1 small GTPases. 101.
Joyce, M. *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
Jungnickel, B. *See* Mothes, Jungnickel, Brunner, and Rapoport.

K

Kaibuchi, K. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Kamal, A., Ying, Y.-s., and Anderson, R.G.W. Annexin VI-mediated loss of spectrin during coated pit budding is coupled to delivery of LDL to lysosomes. 937.
Kamibayashi, C. *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
Kämpf, U. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Kanai-Azuma, M. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Kano, K. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Kansas, G.S. *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
Kappeler, F. *See* Vollenweider, Kappeler, Itin, and Hauri.
Karki, S., LaMonte, B., and Holzbaur, E.L.F. Characterization of the p22 subunit of dynactin reveals the localization of cytoplasmic dynein and dynactin to the midbody of dividing cells. 1023.
Karpova, T.S., McNally, J.G., Moltz, S.L., and Cooper, J.A. Assembly and function of the actin cytoskeleton of yeast: Relationships between cables and patches. 1501.
Karsenty, G. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Kater, S.B. *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
Kaupp, U.B. *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
Kaverina, I., Rottner, K., and Small, J.V. Targeting, capture, and stabilization of microtubules at early focal adhesions. 181.
Kawano, Y. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Kellum, R. *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
Kemler, R. *See* Ozawa and Kemler.
Kenworthy, A.K., and Edidin, M. Distribution of a glycosylphosphatidylinositol-anchored protein at the apical surface of MDCK cells examined at a resolution of <100 Å using imaging fluorescence resonance energy transfer. 69. Correction. 883.
Kerbel, R.S. *See* St. Croix, Sheehan, Rak, Flørenes, Slingerland, and Kerbel.
Kharazia, V. *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Kibbey, R.G., Rizo, J., Gierasch, L.M., and Anderson, R.G.W. The LDL receptor clustering motif interacts with the clathrin terminal domain in a reverse turn conformation. 59.
Kindler, S. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
King, W.G. *See* Clark, King, Brugge, Symons, and Hynes.
Kitzmann, M., Carnac, G., Vandromme, M., Primig, M., Lamb, N.J.C., and Fernandez, A. The muscle regulatory factors MyoD and Myf-5 undergo distinct cell cycle–specific expression in muscle cells. 1447.
Klumperman, J. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Koerkamp, M.G. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
Kok, J.W., Babia, T., Filipeanu, C.M., Nelemans, A., Egea, G., and Hoekstra, D. PDMP blocks brefeldin A–induced retrograde membrane transport from Golgi to ER: Evidence for involvement of calcium homeostasis and dissociation from sphingolipid metabolism. 25.
Kramarcy, N.R. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Kreidberg, J.A. *See* Hodivala-Dilke, DiPersio, Kreidberg, and Hynes.
Kuchka, M.R. *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
Kudla, A.J., Jones, N.C., Rosenthal, R.S., Arthur, K., Clase, K.L., and Olwin, B.B. The FGF receptor–1 tyrosine kinase domain regulates myogenesis but is not sufficient to stimulate proliferation. 241.
Kuikman, I. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Kumagai, A., Guo, Z., Emami, K.H., Wang, S.X., and Dunphy, W.G. The *Xenopus* Chk1 protein kinase mediates a caffeine-sensitive pathway of checkpoint control in cell-free extracts. 1559.
Kunkel, L.M. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Kuo, C.S. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Kuspa, A. *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
Kusumi, A. *See* Tomishige, Sako, and Kusumi.

L

Lafanechère, L. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.

Lafont, F., Lecat, S., Verkade, P., and Simons, K. Annexin XIIIb associates with lipid microdomains to function in apical delivery. 1413.
Lamb, N.J.C. *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
LaMonte, B. *See* Karki, LaMonte, and Holzbaur.
Landolfi, B., Curci, S., Debellis, L., Pozzan, T., and Hofer, A.M. Ca^{2+} homeostasis in the agonist-sensitive internal store: Functional interactions between mitochondria and the ER measured in situ in intact cells. 1235.
Langnaese, K. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Lappalainen, P. *See* Goode, Drubin, and Lappalainen.
Lawrence, J.B. *See* Clemson, Chow, Brown, and Lawrence.
Lebakken, C.S. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Lecat, S. *See* Lafont, Lecat, Verkade, and Simons.
Lechleiter, J.D. *See* John, Lechleiter, and Camacho.
Lee, M.-J. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Lemaitre, J.-M., Geraud, G., and Mechali, M. Dynamics of the genome during early *Xenopus laevis* development: Karyomeres as independent units of replication. 1159.
Lenormand, P., Brondello, J.-M., Brunet, A., and Pouysségur, J. Growth factor–induced p42/p44 MAPK nuclear translocation and retention requires both MAPK activation and neosynthesis of nuclear anchoring proteins. 625.
Lenox, R.H. *See* Lu, Yang, Lenox, and Raizada.
Le Panse, S. *See* Verheggen, Le Panse, Almouzni, and Hernandez-Verdun.
Lew, D.J. *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
— *See* McMillan, Sia, and Lew.
Leyssens, A. *See* Duchen, Leyssens, and Crompton.
Li, X. *See* Matsuoka, Li, and Bennett.
— *See* Xu, Choudhury, Li, and Montell.
Lim, L.E. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Lin, S., Naim, H.Y., Rodriguez, A.C., and Roth, M.G. Mutations in the middle of the transmembrane domain reverse the polarity of transport of the influenza virus hemagglutinin in MDCK epithelial cells. 51.
Linsenmayer, T.F. *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
Liu, C.H. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Liu, J.-G. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Longhi, R. *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
Lorenzon, P., Vecile, E., Nardon, E., Ferrero, E., Harlan, J.M., Tedesco, F., and Dobrina, A. Endothelial cell E- and P-selectin and vascular cell adhesion molecule-1 function as signaling receptors. 1381.
Lostaglio, S. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Lu, D., Yang, H., Lenox, R.H., and Raizada, M.K. Regulation of angiotensin II–induced neuromodulation by MARCKS in brain neurons. 217.
Ly, C.T. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.

M

Maddox, P. *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
Maeda, N., and Noda, M. Involvement of receptor-like protein tyrosine phosphatase ζ/RPTPβ and its ligand pleiotrophin/heparin-binding growth-associated molecule (HB-GAM) in neuronal migration. 203.
Magee, C. *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
Malhotra, J.D. *See* Hortsch, Homer, Malhotra, Chang, Frankel, Jefford, and Dubreuil.
Mallet, W.G. *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
Malva, C. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Maney, T., Hunter, A.W., Wagenbach, M., and Wordeman, L. Mitotic centromere–associated kinesin is important for anaphase chromosome segregation. 787.
Marchisio, P.C. *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
Marfatia, S.M. *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
Margolis, R.L. *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
Marmorstein, A.D., Gan, Y.C., Bonilha, V.L., Finnemann, S.C., Csaky, K.G., and Rodriguez-Boulan, E. Apical polarity of N-CAM and EMMPRIN in retinal pigment epithelium resulting from suppression of basolateral signal recognition. 697.
Marsh, L. *See* Elia and Marsh.
Martìn-Padura, I., Lostaglio, S., Schneemann, M., Williams, L., Romano, M., Fruscella, P., Panzeri, C., Stoppacciaro, A., Ruco, L., Villa, A., Simmons, D., and Dejana, E. Junctional adhesion molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration. 117.
Matsuoka, Y., Li, X., and Bennett, V. Adducin is an in vivo substrate for protein kinase C: Phosphorylation in the MARCKS-related domain inhibits activity in promoting spectrin–actin complexes and occurs in many cells, including dendritic spines of neurons. 485.
Mattick, J.S. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Matzner, M. *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
Maurice, M. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Maxfield, F.R. *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
Mayfield, S.P. *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
McCaffery, J.M. *See* Seaman, McCaffery, and Emr.
McEver, R.P. *See* Setiadi, Sedgewick, Erlandsen, and McEver.
McGraw, T.E. *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
McHugh, K.P. *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
McIntosh, J.R. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
McKeon, F. *See* Taylor, Ha, and McKeon.
McKerracher, L. *See* Shibata, Wright, David, McKerracher, Braun, and Kater.
McMillan, J.N., Sia, R.A.L., and Lew, D.J. A morphogenesis checkpoint monitors the actin cytoskeleton in yeast. 1487.
— *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
McNally, E.M. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
McNally, J.G. *See* Karpova, McNally, Moltz, and Cooper.
Mechali, M. *See* Lemaitre, Geraud, and Mechali.
Meier, U.T. *See* Isaac, Yang, and Meier.
Melby, T.E., Ciampaglio, C.N., Briscoe, G., and Erickson, H.P. The symmetrical structure of structural maintenance of chromosomes (SMC) and MukB proteins: Long, antiparallel coiled coils, folded at a flexible hinge. 1595.
Meldolesi, J., and Pozzan, T. The heterogeneity of ER Ca^{2+} stores has a key role in nonmuscle cell signaling and function. 1395.
Menzeleev, R. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Michael, A. *See* Clerk, Michael, and Sugden.
Michaelis, S. *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
Middendorff, R. *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
Milbrandt, J. *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
Miller, J.B. *See* Dominov, Dunn, and Miller.
Minkin, C. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Molloy, S.S., Thomas, L., Kamibayashi, C., Mumby, M.C., and Thomas, G. Regulation of endosome sorting by a specific PP2A isoform. 1399.
Moltz, S.L. *See* Karpova, McNally, Moltz, and Cooper.
Monkley, S. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Montell, C. *See* Xu, Choudhury, Li, and Montell.
Moonga, B.S. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Moore, S.A. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.

Moritz, M., Zheng, Y., Alberts, B.M., and Oegema, K. Recruitment of the γ-tubulin ring complex to *Drosophila* salt-stripped centrosome scaffolds. 775.
Mothes, W., Jungnickel, B., Brunner, J., and Rapoport, T.A. Signal sequence recognition in cotranslational translocation by protein components of the endoplasmic reticulum membrane. 355.
Mumby, M.C. *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
Mundy, G.R. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.

N

Nagafuchi, A. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Naim, H.Y. *See* Lin, Naim, Rodriguez, and Roth.
Naisbitt, S. *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Nardon, E. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Neame, S.J., Rubin, L.L., and Philpott, K.L. Blocking cytochrome c activity within intact neurons inhibits apoptosis. 1583.
Nelemans, A. *See* Kok, Babia, Filipeanu, Nelemans, Egea, and Hoekstra.
Nelson, R.D. *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
Nelson, W.J. *See* Adams, Chen, Smith, and Nelson.
— *See* Jou and Nelson.
— *See* Jou, Schneeberger, and Nelson.
Niessen, C.M. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Nievers, M.G. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Noda, M. *See* Maeda and Noda.
Noegel, A.A. *See* Rivero, Kuspa, Brokamp, Matzner, and Noegel.
Nörenberg, U. *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
Nouvet, F.J. *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
Novick, P. *See* Finger and Novick.
Nurminskaya, M., Magee, C., Nurminsky, D., and Linsenmayer, T.F. Plasma transglutaminase in hypertrophic chondrocytes: Expression and cell-specific intracellular activation produce cell death and externalization. 1135.
Nurminsky, D. *See* Nurminskaya, Magee, Nurminsky, and Linsenmayer.
Nurse, P. *See* Sawin and Nurse.

O

Oegema, K. *See* Moritz, Zheng, Alberts, and Oegema.
Ogg, S.C., Barz, W.P., and Walter, P. A functional GTPase domain, but not its transmembrane domain, is required for function of the SRP receptor β-subunit. 341.
Okamoto, K., Perlman, P.S., and Butow, R.A. The sorting of mitochondrial DNA and mitochondrial proteins in zygotes: Preferential transmission of mitochondrial DNA to the medial bud. 613.
Olivera, A. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Olwin, B.B. *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
Ooi, C.E., Dell'Angelica, E.C., and Bonifacino, J.S. ADP-Ribosylation factor 1 (ARF1) regulates recruitment of the AP-3 adaptor complex to membranes. 391.
Oorschot, V. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Ortonne, J.-P. *See* Bertolotto, Abbe, Hemesath, Bille, Fisher, Ortonne, and Ballotti.
Osman, M.A., and Cerione, R.A. Iqg1p, a yeast homologue of the mammalian IQGAPs, mediates Cdc42p effects on the actin cytoskeleton. 443.
Otte, A.P. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Ozawa, M., and Kemler, R. The membrane-proximal region of the E-cadherin cytoplasmic domain prevents dimerization and negatively regulates adhesion activity. 1605.

P

Pak, D.T.S. *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
Paladini, R.D., and Coulombe, P.A. Directed expression of keratin 16 to the progenitor basal cells of transgenic mouse skin delays skin maturation. 1035.
Panzeri, C. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Paris, S. *See* Albertinazzi, Gilardelli, Paris, Longhi, and de Curtis.
Patel, B. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Pelttari, J. *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Perlman, P.S. *See* Okamoto, Perlman, and Butow.
Pernas-Alonso, R. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Peters, M.F., Sadoulet-Puccio, H.M., Grady, R.M., Kramarcy, N.R., Kunkel, L.M., Sanes, J.R., Sealock, R., and Froehner, S.C. Differential membrane localization and intermolecular associations of α-dystrobrevin isoforms in skeletal muscle. 1269.
Peunova, N.I. *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
Philpott, K.L. *See* Neame, Rubin, and Philpott.
Phung-Koskas, T. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Pimpinelli, S. *See* Huang, Fanti, Pak, Botchan, Pimpinelli, and Kellum.
Piper, R.C. *See* Bryant, Piper, Weisman, and Stevens.
Pirollet, F. *See* Guillaud, Bosc, Fourest-Lieuvin, Denarier, Pirollet, Lafanechère, and Job.
Ploegh, H.L. *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
Ploug, T., van Deurs, B., Ai, H., Cushman, S.W., and Ralston, E. Analysis of GLUT4 distribution in whole skeletal muscle fibers: Identification of distinct storage compartments that are recruited by insulin and muscle contractions. 1429.
Poüs, C., Chabin, K., Drechou, A., Barbot, L., Phung-Koskas, T., Settegrana, C., Bourguet-Kondracki, M.L., Maurice, M., Cassio, D., Guyot, M., and Durand, G. Functional specialization of stable and dynamic microtubules in protein traffic in WIF-B cells. 153.
Pouysségur, J. *See* Lenormand, Brondello, Brunet, and Pouysségur.
Powers, J., and Barlowe, C. Transport of Ax12p depends on Erv14p, an ER–vesicle protein related to the *Drosophila cornichon* gene product. 1209.
Pozzan, T. *See* Landolfi, Curci, Debellis, Pozzan, and Hofer.
— *See* Meldolesi and Pozzan.
Pozzi, A., Wary, K.K., Giancotti, F.G., and Gardner, H.A. Integrin α1β1 mediates a unique collagen-dependent proliferation pathway in vivo. 587.
Priddle, H., Hemmings, L., Monkley, S., Woods, A., Patel, B., Sutton, D., Dunn, G.A., Zicha, D., and Critchley, D.R. Disruption of the talin gene compromises focal adhesion assembly in undifferentiated but not differentiated embryonic stem cells. 1121.
Primig, M. *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
Pring, M. *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
Pringle, J.R. *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
Pruchnic, R. *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
Pucéat, M., Roche, S., and Vassort, G. Src Family Tyrosine Kinase Regulates Intracellular pH in Cardiomyocytes [141(7):1637]: Correction. 1393.

Q

Qu, Z., Balkir, L., van Deutekom, J.C.T., Robbins, P.D., Pruchnic, R., and Huard, J. Development of approaches to improve cell survival in myoblast transfer therapy. 1257.
—, Wolfraim, L.A., Svaren, J., Ehrengruber, M.U., Davidson, N., and Milbrandt, J. The transcriptional corepressor NAB2 inhibits NGF-induced differentiation of PC12 cells. 1075.

R

Rachubinski, R.A. *See* Titorenko, Smith, Szilard, and Rachubinski.
Raizada, M.K. *See* Lu, Yang, Lenox, and Raizada.
Rak, J.W. *See* St. Croix, Sheehan, Rak, Florenes, Slingerland, and Kerbel.

Ralston, E. *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
Rapoport, T.A. *See* Mothes, Jungnickel, Brunner, and Rapoport.
Rathjen, F.G. *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
Rawls, J.F. *See* Bear, Rawls, and Saxe.
Reilein, A.R., Tint, I.S., Peunova, N.I., Enikolopov, G.N., and Gelfand, V.I. Regulation of organelle movement in melanophores by protein kinase A (PKA), protein kinase C (PKC), and protein phosphatase 2A (PP2A). 803.
Renzi, L. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Richter, K. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Rieder, C.L., and Cole, R.W. Entry into mitosis in vertebrate somatic cells is guarded by a chromosome damage checkpoint that reverses the cell cycle when triggered during early but not late prophase. 1013.
Riparbelli, M.G. *See* Gigliotti, Callaini, Andone, Riparbelli, Pernas-Alonso, Hoffmann, Graziani, and Malva.
Rivero, F., Kuspa, A., Brokamp, R., Matzner, M., and Noegel, A.A. Interaptin, an actin-binding protein of the α-actinin superfamily in *Dictyostelium discoideum*, is developmentally and cAMP-regulated and associates with intracellular membrane compartments. 735.
Rizo, J. *See* Kibbey, Rizo, Gierasch, and Anderson.
Robbins, P.D. *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
Roche, S. *See* Pucéat, Roche, and Vassort.
Rodriguez, A.C. *See* Lin, Naim, Rodriguez, and Roth.
Rodriguez-Boulan, E. *See* Marmorstein, Gan, Bonilha, Finnemann, Csaky, and Rodriguez-Boulan.
Romano, M. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Roos, E. *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
Ropraz, P. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Rosch, C. *See* Yohn, Cohen, Rosch, Kuchka, and Mayfield.
Rosen, V. *See* Chen, Ji, Harris, Feng, Karsenty, Celeste, Rosen, Mundy, and Harris.
Rosenthal, R.S. *See* Kudla, Jones, Rosenthal, Arthur, Clase, and Olwin.
Ross, F.P. *See* Weerasinghe, McHugh, Ross, Brown, Gisler, and Imhof.
Rossi, P. *See* Sette, Bevilacqua, Geremia, and Rossi.
Roth, A.F., Sullivan, D.M., and Davis, N.G. A large PEST-like sequence directs the ubiquitination, endocytosis, and vacuolar degradation of the yeast **a**-factor receptor. 949.
Roth, J. *See* Jakob, Burda, Roth, and Aebi.
Roth, M.G. *See* Lin, Naim, Rodriguez, and Roth.
Rottner, K. *See* Kaverina, Rottner, and Small.
Rubin, L.L. *See* Neame, Rubin, and Philpott.
Ruco, L. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Ruigrok, C.C.M. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.

S

Sadoulet-Puccio, H.M. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Saffrich, R. *See* Almeida, Saffrich, Ansorge, and Carmo-Fonseca.
Sako, Y. *See* Tomishige, Sako, and Kusumi.
Salmon, E.D. *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
Sanes, J.R. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
— *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Sanicola, M. *See* Tang, Worley, Sanicola, and Dressler.
Sanmartí-Vila, L. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Saoudi, Y., Fotedar, R., Abrieu, A., Dorée, M., Wehland, J., Margolis, R.L., and Job, D. Stepwise reconstitution of interphase microtubule dynamics in permeabilized cells and comparison to dynamic mechanisms in intact cells. 1519.
Satijn, D.P.E. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Saurin, A.J., Shiels, C., Williamson, J., Satijn, D.P.E., Otte, A.P., Sheer, D., and Freemont, P.S. The human polycomb group complex associates with pericentromeric heterochromatin to form a novel nuclear domain. 887.
Sawin, K.E., and Nurse, P. Regulation of cell polarity by microtubules in fission yeast. 457.
Saxe, C.L., III. *See* Bear, Rawls, and Saxe.
Schaapveld, R.Q.J., Borradori, L., Geerts, D., van Leusden, M.R., Kuikman, I., Nievers, M.G., Niessen, C.M., Steenbergen, R.D.M., Snijders, P.J.F., and Sonnenberg, A. Hemidesmosome formation is initiated by the β4 integrin subunit, requires complex formation of β4 and HD1/plectin, and involves a direct interaction between β4 and the bullous pemphigoid antigen 180. 271.
Scheller, R.H. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Scherer, S.S. *See* Balice-Gordon, Bone, and Scherer.
Schneeberger, E.E. *See* Jou, Schneeberger, and Nelson.
Schneemann, M. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Sealock, R. *See* Peters, Sadoulet-Puccio, Grady, Kramarcy, Kunkel, Sanes, Sealock, and Froehner.
Seaman, M.N.J., McCaffery, J.M., and Emr, S.D. A membrane coat complex essential for endosome-to-Golgi retrograde transport in yeast. 665.
Sedgewick, G. *See* Setiadi, Sedgewick, Erlandsen, and McEver.
Serini, G., Bochaton-Piallat, M.-L., Ropraz, P., Geinoz, A., Borsi, L., Zardi, L., and Gabbiani, G. The fibronectin domain ED-A is crucial for myofibroblastic phenotype induction by transforming growth factor-β1. 873.
— *See* Trusolino, Serini, Cecchini, Besati, Ambesi-Impiombato, Marchisio, and De Filippi.
Setiadi, H., Sedgewick, G., Erlandsen, S.L., and McEver, R.P. Interactions of the cytoplasmic domain of P-selectin with clathrin-coated pits enhance leukocyte adhesion under flow. 859.
Sette, C., Bevilacqua, A., Geremia, R., and Rossi, P. Involvement of phospholipase Cγ1 in mouse egg activation induced by a truncated form of the C-kit tyrosine kinase present in spermatozoa. 1063.
Settegrana, C. *See* Poüs, Chabin, Drechou, Barbot, Phung-Koskas, Settegrana, Bourguet-Kondracki, Maurice, Cassio, Guyot, and Durand.
Shapiro, P.S., Vaisberg, E., Hunt, A.J., Tolwinski, N.S., Whalen, A.M., McIntosh, J.R., and Ahn, N.G. Activation of the MKK/ERK pathway during somatic cell mitosis: Direct interactions of active ERK with kinetochores and regulation of the mitotic 3F3/2 phosphoantigen. 1533.
Sheehan, C. *See* St. Croix, Sheehan, Rak, Florenes, Slingerland, and Kerbel.
Sheer, D. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Sheng, M. *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Shibata, A., Wright, M.V., David, S., McKerracher, L., Braun, P.E., and Kater, S.B. Unique responses of differentiating neuronal growth cones to inhibitory cues presented by oligodendrocytes. 191.
Shiels, C. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Sia, R.A.L. *See* McMillan, Sia, and Lew.
Sigrist, K.S. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
Simmons, D. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Simons, K. *See* Lafont, Lecat, Verkade, and Simons.
Sisodia, S.S. *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
Slingerland, J.M. *See* St. Croix, Sheehan, Rak, Florenes, Slingerland, and Kerbel.
Slunt, H. *See* Tam, Nouvet, Fujimura-Kamada, Slunt, Sisodia, and Michaelis.
Small, J.V. *See* Kaverina, Rottner, and Small.
Smalla, K.-H. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Smith, J.J. *See* Titorenko, Smith, Szilard, and Rachubinski.
Smith, S.J. *See* Adams, Chen, Smith, and Nelson.

Snapp, K.R., Craig, R., Herron, M., Nelson, R.D., Stoolman, L.M., and Kansas, G.S. Dimerization of P-selectin glycoprotein ligand-1 (PSGL-1) required for optimal recognition of P-selectin. 263.
Snijders, P.J.F. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Soe, T.T. *See* Ghosh, Mallet, Soe, McGraw, and Maxfield.
Soede, R.D.M., Wijnands, Y.M., Van Kouteren-Cobzaru, I., and Roos, E. ZAP-70 tyrosine kinase is required for LFA-1–dependent T cell migration. 1371.
Sonnenberg, A. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Soyke, A. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Spiegel, S. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Starr, D.A., Williams, B.C., Hays, T.S., and Goldberg, M.L. ZW10 helps recruit dynactin and dynein to the kinetochore. 763.
St. Croix, B., Sheehan, C., Rak, J.W., Florenes, V.A., Slingerland, J.M., and Kerbel, R.S. E-Cadherin–dependent growth suppression is mediated by the cyclin-dependent kinase inhibitor $p27^{KIP1}$. 557.
Steegmaier, M. *See* Hay, Klumperman, Oorschot, Steegmaier, Kuo, and Scheller.
Steenbergen, R.D.M. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
Stevens, R.C., and Davis, T.N. Mlc1p is a light chain for the unconventional myosin Myo2p in *Saccharomyces cerevisiae*. 711.
Stevens, T.H. *See* Bryant, Piper, Weisman, and Stevens.
— *See* Graham, Hill, and Stevens.
Stoolman, L.M. *See* Snapp, Craig, Herron, Nelson, Stoolman, and Kansas.
Stoppacciaro, A. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Story, C.M. *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
Straub, V. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Stumm, M. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Sugden, P.H. *See* Clerk, Michael, and Sugden.
Sullivan, D.M. *See* Roth, Sullivan, and Davis.
Sun, L. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Sun, X., Alzhanova-Ericsson, A.T., Visa, N., Aissouni, Y., Zhao, J., and Daneholt, B. The hrp23 protein in the Balbiani ring pre-mRNP particles is released just before or at the binding of the particles to the nuclear pore complex. 1181.
Sung, C.-H. *See* Chuang and Sung.
Sutton, D. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Svaren, J. *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
Symons, M. *See* Clark, King, Brugge, Symons, and Hynes.
Szilard, R.K. *See* Titorenko, Smith, Szilard, and Rachubinski.

T

Tabak, H.F. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
Takeichi, M. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Tam, A., Nouvet, F.J., Fujimura-Kamada, K., Slunt, H., Sisodia, S.S., and Michaelis, S. Dual roles for Ste24p in yeast **a**-factor maturation: NH_2-terminal proteolysis and COOH-terminal CAAX processing. 635.
Tanaka, K. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Tang, M.-J., Worley, D., Sanicola, M., and Dressler, G.R. The RET–Glial cell-derived neurotrophic factor (GDNF) pathway stimulates migration and chemoattraction of epithelial cells. 1337.
Taya, S., Yamamoto, T., Kano, K., Kawano, Y., Iwamatsu, A., Tsuchiya, T., Tanaka, K., Kanai-Azuma, M., Wood, S.A., Mattick, J.S., and Kaibuchi, K. The Ras target AF-6 is a substrate of the Fam deubiquitinating enzyme. 1053.
Taylor, S.S., Ha, E., and McKeon, F. The human homologue of Bub3 is required for kinetochore localization of Bub1 and a Mad3/Bub1-related protein kinase. 1.
Tedesco, F. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Thangada, S. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Thomas, D.M. *See* Van Brocklyn, Lee, Menzeleev, Olivera, Edsall, Cuvillier, Thomas, Coopman, Thangada, Liu, Hla, and Spiegel.
Thomas, G. *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
Thomas, L. *See* Molloy, Thomas, Kamibayashi, Mumby, and Thomas.
Tint, I.S. *See* Reilein, Tint, Peunova, Enikolopov, and Gelfand.
Titorenko, V.I., Smith, J.J., Szilard, R.K., and Rachubinski, R.A. Pex20p of the yeast *Yarrowia lipolytica* is required for the oligomerization of thiolase in the cytosol and for its targeting to the peroxisome. 403.
Tolwinski, N.S. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
tom Dieck, S., Sanmartí-Vila, L., Langnaese, K., Richter, K., Kindler, S., Soyke, A., Wex, H., Smalla, K.-H., Kämpf, U., Fränzer, J.-T., Stumm, M., Garner, C.C., and Gundelfinger, E.D. Bassoon, a novel zinc-finger CAG/Glutamine-repeat protein selectively localized at the active zone of presynaptic nerve terminals. 499.
Tomishige, M., Sako, Y., and Kusumi, A. Regulation mechanism of the lateral diffusion of band 3 in erythrocyte membranes by the membrane skeleton. 989.
Tortorella, D., Story, C.M., Huppa, J.B., Wiertz, E.J.H.J., Jones, T.R., and Ploegh, H.L. Dislocation of type I membrane proteins from the ER to the cytosol is sensitive to changes in redox potential. 365.
Troyanovsky, S.M. *See* Chitaev and Troyanovsky.
Trusolino, L., Serini, G., Cecchini, G., Besati, C., Ambesi-Impiombato, F.S., Marchisio, P.C., and De Filippi, R. Growth factor–dependent activation of αvβ3 integrin in normal epithelial cells: Implications for tumor invasion. 1145.
Tsuchiya, T. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.

U

Uchida, N. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Uemura, T. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.

V

Vaisberg, E. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
Van Brocklyn, J.R., Lee, M.-J., Menzeleev, R., Olivera, A., Edsall, L., Cuvillier, O., Thomas, D.M., Coopman, P.J.P., Thangada, S., Liu, C.H., Hla, T., and Spiegel, S. Dual actions of sphingosine-1-phosphate: Extracellular through the G_i-coupled receptor Edg-1 and intracellular to regulate proliferation and survival. 229.
van den Berg, M. *See* Hettema, Ruigrok, Koerkamp, van den Berg, Tabak, Distel, and Braakman.
van der Meulen, J. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
van Deurs, B. *See* Ploug, van Deurs, Ai, Cushman, and Ralston.
van Deutekom, J.C.T. *See* Qu, Balkir, van Deutekom, Robbins, Pruchnic, and Huard.
Vandromme, M. *See* Kitzmann, Carnac, Vandromme, Primig, Lamb, and Fernandez.
van IJzendoorn, S.C.D., and Hoekstra, D. (Glyco)sphingolipids are sorted in sub-apical compartments in HepG2 cells: A role for non-Golgi–related intracellular sites in the polarized distribution of (glyco)sphingolipids. 683.
Van Kouteren-Cobzaru, I. *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
van Leusden, M.R. *See* Schaapveld, Borradori, Geerts, van Leusden, Kuikman, Nievers, Niessen, Steenbergen, Snijders, and Sonnenberg.
van Roy, F. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.

Vassort, G. *See* Pucéat, Roche, and Vassort.
Vecile, E. *See* Lorenzon, Vecile, Nardon, Ferrero, Harlan, Tedesco, and Dobrina.
Venzke, D.P. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Verheggen, C., Le Panse, S., Almouzni, G., and Hernandez-Verdun, D. Presence of pre-rRNAs before activation of polymerase I transcription in the building process of nucleoli during early development of *Xenopus laevis*. 1167.
Verkade, P. *See* Lafont, Lecat, Verkade, and Simons.
Vermeulen, S. *See* Watabe-Uchida, Uchida, Imamura, Nagafuchi, Fujimoto, Uemura, Vermeulen, van Roy, Adamson, and Takeichi.
Villa, A. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Visa, N. *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
Volkmer, H., Zacharias, U., Nörenberg, U., and Rathjen, F.G. Dissection of complex molecular interactions of neurofascin with axonin-1, F11, and tenascin-R, which promote attachment and neurite formation of tectal cells. 1083.
Vollenweider, F., Kappeler, F., Itin, C., and Hauri, H.-P. Mistargeting of the lectin ERGIC-53 to the endoplasmic reticulum of HeLa cells impairs the secretion of a lysosomal enzyme. 377.

W

Wagenbach, M. *See* Maney, Hunter, Wagenbach, and Wordeman.
Walter, P. *See* Ogg, Barz, and Walter.
Walther, Z. *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
Wang, S.X. *See* Kumagai, Guo, Emami, Wang, and Dunphy.
Wary, K.K. *See* Pozzi, Wary, Giancotti, and Gardner.
Watabe-Uchida, M., Uchida, N., Imamura, Y., Nagafuchi, A., Fujimoto, K., Uemura, T., Vermeulen, S., van Roy, F., Adamson, E.D., and Takeichi, M. α-Catenin-vinculin interaction functions to organize the apical junctional complex in epithelial cells. 847.
Weber, M.J. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Weerasinghe, D., McHugh, K.P., Ross, F.P., Brown, E.J., Gisler, R.H., and Imhof, B.A. A role for the αvβ3 integrin in the transmigration of monocytes. 595.
Wehland, J. *See* Saoudi, Fotedar, Abrieu, Dorée, Wehland, Margolis, and Job.
Weinberg, R.J. *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Weiner, J. *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
Weisman, L.S. *See* Bryant, Piper, Weisman, and Stevens.
Wex, H. *See* tom Dieck, Sanmartí-Vila, Langnaese, Richter, Kindler, Soyke, Wex, Smalla, Kämpf, Fränzer, Stumm, Garner, and Gundelfinger.
Weyand, I. *See* Wiesner, Weiner, Middendorff, Hagen, Kaupp, and Weyand.
Whalen, A.M. *See* Shapiro, Vaisberg, Hunt, Tolwinski, Whalen, McIntosh, and Ahn.
Wiertz, E.J.H.J. *See* Tortorella, Story, Huppa, Wiertz, Jones, and Ploegh.
Wiesner, B., Weiner, J., Middendorff, R., Hagen, V., Kaupp, U.B., and Weyand, I. Cyclic nucleotide-gated channels on the flagellum control Ca^{2+} entry into sperm. 473.
Wijnands, Y.M. *See* Soede, Wijnands, Van Kouteren-Cobzaru, and Roos.
Williams, B.C. *See* Starr, Williams, Hays, and Goldberg.
Williams, L. *See* Martìn-Padura, Lostaglio, Schneemann, Williams, Romano, Fruscella, Panzeri, Stoppacciaro, Ruco, Villa, Simmons, and Dejana.
Williamson, J. *See* Saurin, Shiels, Williamson, Satijn, Otte, Sheer, and Freemont.
Williamson, R. *See* Duclos, Straub, Moore, Venzke, Hrstka, Crosbie, Durbeej, Lebakken, Ettinger, van der Meulen, Holt, Lim, Sanes, Davidson, Faulkner, Williamson, and Campbell.
Wolfraim, L.A. *See* Qu, Wolfraim, Svaren, Ehrengruber, Davidson, and Milbrandt.
Wollmann, R.L. *See* Hack, Ly, Jiang, Clendenin, Sigrist, Wollmann, and McNally.
Wood, S.A. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Woods, A. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Woods, D.F. *See* Cohen, Woods, Marfatia, Walther, Chishti, and Anderson.
Wordeman, L. *See* Maney, Hunter, Wagenbach, and Wordeman.
Worley, D. *See* Tang, Worley, Sanicola, and Dressler.
Wright, M.V. *See* Shibata, Wright, David, McKerracher, Braun, and Kater.

X

Xu, X.-Z.S., Choudhury, A., Li, X., and Montell, C. Coordination of an array of signaling proteins through homo- and heteromeric interactions between PDZ domains and target proteins. 545.

Y

Yamamoto, T. *See* Taya, Yamamoto, Kano, Kawano, Iwamatsu, Tsuchiya, Tanaka, Kanai-Azuma, Wood, Mattick, and Kaibuchi.
Yamate, T. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Yang, C. *See* Zigmond, Joyce, Yang, Brown, Huang, and Pring.
Yang, F.-C. *See* Hsueh, Yang, Kharazia, Naisbitt, Cohen, Weinberg, and Sheng.
Yang, H. *See* Lu, Yang, Lenox, and Raizada.
Yang, J., Drazba, J.A., Ferguson, D.G., and Bond, M. A-kinase anchoring protein 100 (AKAP100) is localized in multiple subcellular compartments in the adult rat heart. 511.
Yang, Y. *See* Isaac, Yang, and Meier.
Yeh, E. *See* Bi, Maddox, Lew, Salmon, McMillan, Yeh, and Pringle.
Yen, T.J. *See* Zecevic, Catling, Eblen, Renzi, Hittle, Yen, Gorbsky, and Weber.
Ying, Y.-s. *See* Kamal, Ying, and Anderson.
Yohn, C.B., Cohen, A., Rosch, C., Kuchka, M.R., and Mayfield, S.P. Translation of the chloroplast *psbA* mRNA requires the nuclear-encoded poly(A)-binding protein, RB47. 435.
Yuan, L., Pelttari, J., Brundell, E., Björkroth, B., Zhao, J., Liu, J.-G., Brismar, H., Daneholt, B., and Höög, C. The synaptonemal complex protein SCP3 can form multistranded, cross-striated fibers in vivo. 331.

Z

Zacharias, U. *See* Volkmer, Zacharias, Nörenberg, and Rathjen.
Zaidi, M. *See* Adebanjo, Moonga, Yamate, Sun, Minkin, Abe, and Zaidi.
Zardi, L. *See* Serini, Bochaton-Piallat, Ropraz, Geinoz, Borsi, Zardi, and Gabbiani.
Zecevic, M., Catling, A.D., Eblen, S.T., Renzi, L., Hittle, J.C., Yen, T.J., Gorbsky, G.J., and Weber, M.J. Active MAP kinase in mitosis: Localization at kinetochores and association with the motor protein CENP-E. 1547.
Zhang, X., and Bennett, V. Restriction of 480/270-kD ankyrin$_G$ to axon proximal segments requires multiple ankyrin$_G$-specific domains. 1571.
Zhao, J. *See* Sun, Alzhanova-Ericsson, Visa, Aissouni, Zhao, and Daneholt.
— *See* Yuan, Pelttari, Brundell, Björkroth, Zhao, Liu, Brismar, Daneholt, and Höög.
Zheng, Y. *See* Moritz, Zheng, Alberts, and Oegema.
Zicha, D. *See* Priddle, Hemmings, Monkley, Woods, Patel, Sutton, Dunn, Zicha, and Critchley.
Zigmond, S.H., Joyce, M., Yang, C., Brown, K., Huang, M., and Pring, M. Mechanism of Cdc42-induced actin polymerization in neutrophil extracts. 1001.

SUBJECT INDEX VOLUME 142

14-3-3, in caffeine-sensitive checkpoint pathway, 1559
Actin
  reduced dynamics in vivo, rapid filament turnover, filament stabilization, 1289
  twinfillin forms molar complex with, 723
Actin cables, and E-cadherin in cell–cell adhesion dynamics, 1105
Actin cytoskeleton
  assembly/function of, relationship between cables and patches, 1501
  interaptin as link between membrane compartments and, 735
  mediation of Cdc42p effects on, 443
  monitored by morphogenesis checkpoint, 1487
  SCAR and organization of, WASP/WASP-related proteins and organization of, 1325
Actin filaments
  barbed ends and Cdc-induced actin polymerization, 1001
  spectrin recruited to, 485
Actin polymerization, induced by Cdc42, and actin filament barbed ends, 1001
Actin-binding proteins, filament-stabilizing functions of, 1289
Actomyosin contractile ring, not essential for yeast cytokinesis, 1301
Adaptor-3 complex, recruitment to membranes, regulated by ADP-ribosylation factor-1, 391
Adaxonal cytoplasm, diffusion between perinuclear cytoplasm and, 1095
Adducin, as in vivo substrate for protein kinase C, phosphorylation of, and reorganization of cytoskeletal structures, and recruitment of spectrin to actin filaments, 485
Adhesion
  and cytoskeletal organization, Rho family GTPases and, 573
  regulated by E-cadherin membrane–proximal region, 1605
Adhesive interaction, reciprocal role of ankyrin binding in, 251
Adipocytes, bone morphogenetic protein receptor in speciation/differentiation of, 295
ADP-Ribosylation factor-1, regulates adaptor-3 complex membrane association, influences coat assembly, 391
Adrenergic agonists, activate p38-MAPK pathway, 523
AF-6, as substrate for Fam, function at cell–cell adhesions, ubiquitinated in intact cells, forms complex with Fam, Fam prevents ubiquitination of, 1053
a-Factor, dual roles of Ste24p in maturation of, single role of Rce1p in maturation of, 635
a-Factor receptor (yeast), ubiquitination/endocytosis/vacuolar degradation of, 949
Aggregation, E-cadherin membrane–proximal region and, 1605
AKAP100 (A-kinase anchoring protein 100), expression/localization in the heart, colocalization with protein kinase A type II regulatory subunit, 511
Alternate splicing
  modulates neurofascin activities, 1083
  splicing, confers distinct association properties on α-dystrobrevins, 1269
Anaphase, mitotic centromere–associated kinesin essential for, 787
Angiotensin II, regulation of neuromodulation induced by, 217
Ankyrin, recruitment to cell contact sites, and stabilization of adhesive interaction, amino acid sequence required for binding of, 251
Ankyrin$_G$, targeting to axon-proximal segments, 1571
Annexin VI, and spectrin loss during coated pit budding, 937
Annexin XIIIb, association with lipid domains, participates in apical delivery, localization of, 1413
Anti-coilin antibody, promotes disappearance of coiled bodies, 899
AP-3 pathway, Vam3p transported through, 913
Apical cell surface, annexin XIIIb localized to, 1413
Apical delivery, annexin XIIIb participates in, 1413
Apical junctional complex, role of αE-catenin–vinculin interaction in assembly of, 847
Apical plasma membrane
  distribution of 5′ nucleotidase in, 69
  rhodospin targeted to, 1245
Apical polarity, of extracellular matrix metalloproteinase inducer, of neural cell adhesion molecule, 697
Apical sorting, and detergent-insoluble membrane domains, signal in transmembrane domain, 51
Apical sorting signal, in cytoplasmic tail of rhodospin as, in Madin-Darby canine kidney cells, 1245
Apical surface, transcytosis of membrane proteins to, 153
Apical–basolateral trafficking, non-Golgi–related compartment in, 683
Apoptosis
  caused by γ-sarcoglycan deficiency, 1279
  and cytochrome c, 1583
  inhibited by Bcl-2, 537
  and plasma transglutaminase, 1135
  suppressed by sphingosine-1-phosphate, 229
asterless, and aster formation during male meiosis, and centrosome assembly, spindle self-organization and cytokinesis in mutants, normal central spindles in mutants, 751
ATP production (mitochondrial), and Ca^{2+} release dynamics, 1235
Axonal growth cone, response to oligodendrocytes and myelin-associated glycoprotein during differentiation, 191
Axonal outgrowth, neurofascin and, 1083
Axonal plasma membrane, ankyrin$_G$ restricted to, 1571
Axonin-1, interaction between neurofascin and, and neurite growth of tectal cells, 1083
Ax12p, transport depends on Erv14p, 1209
Balbiani ring ribonucleoprotein particles, new protein component in, 1181
Band 3, hop diffusion of, 989
Barbed ends of actin filaments, Cdc42-induced actin polymerization and, 1001
Basolateral signal recognition, suppressed by retinal pigment epithelium, 697
Basolateral surface, membrane proteins transported to, 153
Bassoon, as novel presynaptic cytoskeleton component, colocalizes with synaptophysin and Piccolo, in axon terminals of hippocampal neurons, and cytomatrix organization, 499
Bcl-2, and myogenesis, inhibits apoptosis, promotes clonal expansion of muscle cells, 537
Bone morphogenetic protein receptors, in osteoblast and adipocyte speciation/differentiation, 295
Brain neurons, regulation of neuromodulation in, 217
Bub1, kinetochore localization of, 1
Bub3, and kinetochore localization of Bub1, 1
Budding, promoted by Iqgp1, 443
Bullous pemphigoid antigen 180, and hemidesmosome formation, direct interaction with β4 integrin, 271
Ca^{2+}
  heterogeneity of in endoplasmic reticulum, role in nonmuscle cell signaling and function, 1395
  homeostasis in agonist-sensitive internal store, release altered by mitochondrial ATP production, explosive signals generated by mitochondria, 1235
  and nucleotide-gated channels, entry into sperm, 473
Ca^{2+} sensing, attenuated by interleukin-6, and osteoblastic bone resorption, 1347
Ca^{2+} waves, differential properties displayed by SERCA2 isoforms, 963
CAAX processing, human Ste24p and, 635
Cables, morphology and dynamics of, relationship between patches and, 1501
Caffeine, disrupts Xchk1 function, and checkpoint response to unreplicated DNA, 1559
Calcium
  focal release from sarcoplasmic reticular stores, uptake by mitochondria, 975
  required for adhesive E-cadherin complex formation, 837
Calcium homeostasis, and PDMP, 25
Calmodulin, association with INAD signaling complex, 545
Calreticulin, modulation of SERCA2 isoforms by, 963
cAMP, stimulates tyrosinase expression and melanogenesis, 827
Carboxypeptidase Y, degradation of, 1223
Carcinoma cells
  growth inhibited by E-cadherin, 557
  hepatocyte growth factor/scatter factor as autocrine factor for, 1145
Cardiomyocytes, focal sarcoplasmic reticular calcium release in, 975
Cartilage fibrils, decorin and collagen IX in, biochemical heterogeneity of, 285
CASK, interaction with syndecan in neuronal synapses, potential role in adhesion/signaling at neuronal synapses, 139
CASK/LIN-2
  binds to COOH-terminal tail of syndecans, 139
  binds syndecan-2 and protein 4.1, localizes to basolateral membrane of epithelial cells, 129
Catenins, required for adhesive E-cadherin complex formation, 837
Cdc25, in caffeine-sensitive checkpoint pathway, 1559

Cdc42
actin polymerization induced by, 1001
regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 573
Cdc42p, mediation of effects on actin cytoskeleton, 443
Cell adhesion to P-selectin, and dimerization of P-selectin glycoprotein ligand-1, 263
Cell aggregation, and neuroglian expression, 251
Cell contact sites, recruitment of ankyrin to, 251
Cell cycle
and regulation of MyoD and Myf-5, 1447
reversed by chromosome damage checkpoint control, 1013
Swe1p-dependent delay of, actin perturbation triggers delay of, 1487
Cell death, and plasma transglutaminase, 1135
Cell fusion (yeast), role of protease in morphogenic responses during, pheromone responses coupled to, 1473
Cell migration, stimulated by RET-GDNF pathway, 1337
Cell morphology, Rho family GTPases and, 573
Cell polarity
microtubules and, 181
regulated by microtubules, 457
RhoA and Rac1 and development of, 85
Cell proliferation, integrin α1β1 and, 587
Cell shape, microtubules and, 181
Cell surface receptor, sphingolipid-1-phosphate as ligand for, 229
Cell survival, after myoblast transplantation and gene transfer, improved by muscle-derived stem cell selection, improved by inflammation control, 1257
Cell–cell adhesion, high-resolution tracking of, E-cadherin and actin coordinate in dynamics of, three sequential stages in, 1105
Cell–cell contacts, Fam accumulates in, function of AF-6 at, 1053
Cell–cell junctions, novel protein at, 117
Cell–matrix interactions, role of talin in, 1121
Cellular proliferation, regulated by sphingosine-1-phosphate, 229
Central spindles, in *asterless* mutants, not required for signaling cytokinesis, 751
Centromere-binding protein E, association of MAP kinase with, 1547
Centrosome
asterless and assembly of, 751
microtubule nucleation at, 775
Centrosome scaffolds (salt-stripped), recruitment of γ-tubulin complex to, 775
Checkpoint control
during early prophase, guards entry into mitosis, reverses cell cycle, downregulates cyclin-dependent kinase 1 activity, 1013
role of Xchk1 in, caffeine-sensitive and -insensitive steps in, 1559
Chk1 protein kinase, role in checkpoint control, 1559
Chlamydomonas reinhardtii, mutants lacking *psbA* RNA translation, 435
Chloroplast, light-activated translational regulation in, RB47 as translational activator in, 435
Chondrocytes (hypertrophic), upregulate plasma transglutaminase synthesis, activate plasma transglutaminase zymogen, 1135
Chromatin inactivation, *Xist* localization and, 13
Chromosome segregation, during anaphase, 787
Clathrin, clusters LDL receptors, 59
Clathrin-coated pits, association with P-selectin, 859
Coat assembly, influenced by ADP-ribosylation factor-1, 391
Coated pits, annexin VI and budding of, 937
Cofilin, excluded from cytoplasmic cables, 1289
Coiled bodies
disappear after anti-coilin antibody microinjection, nucleus unaffected by disappearance of, 899
linked to nucleolus by Nopp140, 319
Coiled coils, in SMC and MukB proteins, 1595
Coilin, antibody against, 899
Collagen IX, in cartilage fibrils, 285
Collagenous matrices, α1β1 integrin regulates cell proliferation in, 587
Compaction, E-cadherin membrane–proximal region and, 1605
Connexins, and formation of gap junctions, 1095
Cortical actin cytoskeleton, regulated by twinfillin, 723
Cotranslational translocation, signal sequence recognition in, 355
cRac1B, induces neuritogenesis/neurite branching, 815
Cyclic nucleotide-gated channels, molecular composition of, expression pattern of, in flagellum, as Ca^{2+} entry pathway, 473
Cyclin-dependent kinase 1, downregulated by chromosome damage checkpoint, downregulation correlates with prophase reversal, 1013
Cytochrome c, and neuronal apoptosis, 1583
Cytokinesis
novel function of dynein/dynactin complex during, 1023
promoted by Iqgp1, 443
yeast, actomyosin contractile ring and, septin required for, facilitated by F-actin, 1301
Cytomatrix, Bassoon and organization of, 499
Cytoplasmic cables, cofilin excluded from, fimbrin and organization of, 1289
Cytoskeletal structures, adducin phosphorylation and reorganization of, 485
Cytoskeleton
α3β1 integrin regulates assembly of, 1357
Rho family GTPases and organization of, 573
Cytosol
dislocation of endoplasmic reticulum membrane proteins to, 365
Pex20p binds thiolase in, 403
Cytosolic chaperones, involved in peroxisomal protein import, 421
Decorin, in cartilage fibrils, 285
Degradation–synthesis coupling, and homeostatic control of neuron size, and nerve growth factor, 1313
Dendritic growth cone, response to oligodendrocytes and myelin-associated glycoprotein during differentiation, 191
Dendritic spines, adducin phosphorylation in, 485
Detergent-insoluble membrane domains, and apical sorting, 51
Diamide, and TCR α chain dislocation from endoplasmic reticulum, 365
Dictyostelium, suppression of receptor defects in development of, 1325
Differentiation
and cell cycle–specific MyoD and Myf-5 ratios, 1447
and $p21^{WAF}$, inhibited by NAB2, 1075
Di-leucine, and Vam3p sorting, 913
Dimerization, E-cadherin membrane–proximal region prevents, 1605
DJP1 gene, deletion of, 421
Djp1p, required for peroxisomal protein import, 421
Dorsal root ganglion neurons, ankyrin$_G$ restricted to axon-proximal segments of, 1571
Drosophila
heterochromatin protein 1 localization in, 307
nucleoporins and gametogenesis in, 1195
shared cell polarity mechanism between yeast and, *cornichon* gene product related to Erv14p, 1209
Drosophila melanogaster, asterless mutants of, 751
Dynactin
p22 subunit of, 1023
recruited to kinetochore by ZW10, 763
Dynein, recruited to kinetochore by ZW10, role in kinetochore, 763
Dynein/dynactin complex, novel function during cytokinesis, localization to midbody of dividing cells, 1023
α-Dystrobrevins, regulated pairing with dystrophin and utrophin, distinct association properties conferred by alternative splicing, 1269
α-Dystroglycan, association with sarcolemma, 1461
Dystrophin
normal content/localization in γ-sarcoglycan deficient mice, 1279
regulated pairing of α-dystrobrevins with, 1269
E-cadherin
coordinates with actin cables in cell–cell adhesion dynamics, 1105
as major growth suppressor, 557
membrane-proximal region, regulates adhesion, prevents lateral dimerization of extracellular domain, and aggregation, 1605
E-cadherin complexes, adhesive, formation requires calcium and catenins, distinct from lateral E-cadherin adhesion complexes, 837
E-cadherin–green fluorescent protein, visualization of cell–cell adhesion dynamics with, 1105
αE-catenin, interaction with vinculin, 847
Egg activation, involvement of phospholipase Cγ1 in, 1063
Embryonic stem cells, focal adhesion assembly in, 1121
Endocytic recycling compartment, TGN38 transport through, 923
Endocytosis
directed by ubiquitin, STE3 sequence required for, 949
spectrin removal during, 937
TGN38 transport and, 923
Endoplasmic reticulum
assembly of vacuolar ATPase in, Vma12p/Vma22p interacts with V_o subunit of, 39
degradation of misfolded glycoproteins in, 1223
dislocation of membrane proteins from, 365
Erv14p required for specific secretory cargo export from, 1209
signal recognition particle receptor associates with, 341

and signal sequence recognition, 355
Endoplasmic reticulum Ca^{2+}, heterogeneity of, role in nonmuscle cell signaling and function, 1395
Endoplasmic reticulum, Ca^{2+}-related interaction between mitochondria and, 1235
Endosome–Golgi retrograde transport, membrane coat complex essential for, 665
Endosomes
sorting regulated by PP2A isoform, 1399
TGN38 accumulation in, 923
Endothelial selectins, as signaling and adhesion receptors, adhere leukocytes, mediate endothelial stimulation, 1381
Endothelin-1, and p38-MAPK pathway activation, 523
Epidermis, affected by K16, 1035
Epithelia, cell–cell adhesion dynamics in, 1105
Epithelial cells
CASK/LIN-2 localizes to basolateral membrane of, 129
growth factor–driven integrin activation in, 1145
organization of apical junctional complex in, 847
Epithelial tight junction, RhoA and Rac1 regulate structure/function of, 101
ER lectin chaperones, affect glycoprotein function, control Ca^{2+} release and uptake, 963
ERGIC-53, and secretion of procathespin C, and intracellular transport of glycoproteins, 377
ERK (extracellular signal–regulated kinase), novel role in mitosis, 1533
Erv14p, Ax12p transport depends on, and specific secretory cargo export from endoplasmic reticulum, relation to *Drosophila cornichon* gene product, 1209
Erythrocyte membranes, lateral diffusion of band 3 in, 989
E-selectin, as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 1381
Exocytosis, spatial regulation of, 609
Extracellular matrix, plasma transglutaminase activity externalized to, 1135
Extracellular matrix metalloproteinase inducer, apical polarity of, 697
201-F, and study of functional specialization of microtubules, 153
F11, interaction between neurofascin and, and neurite growth of tectal cells, 1083
F-actin, facilitates yeast cytokinesis, 1301
Fam, AF-6 forms complex with, AF-6 as substrate for, prevents ubiquitination of AF-6, accumulates at cell–cell contact sites, 1053
FGF receptor–1, intracellular domain regulates myogenesis, intracellular domain insufficient for skeletal muscle cell proliferation, 241
Fibronectin domain ED-A, crucial for induction of myofibroblastic phenotype, 873
Filaments, formed by synaptonemal complex protein 3, 331
Fimbrin, role in organizing cytoplasmic cables, 1289
Fission yeast, cell polarity regulated by microtubules in, 457
Flagellum, cyclic nucleotide-gated channels in, 473
Focal adhesions
cross-talk between microtubules and, capture and stabilize microtubules, as preferred sites of microtubule polymerization, 181
in embryonic stem cells, talin and, 1121
Furin, routed from early endosomes to *trans*-Golgi network, 1399
G protein–coupled signaling, SCAR as conserved negative regulator of, 1325
Gametogenesis, *Nup154 Drosophila* gene essential for, 1195
Gap junctions, in Schwann cell myelin sheath, connexins and formation of, pathway mediated by, 1095
Gene transfer, cell survival after, 1257
Genome, dynamics during *Xenopus laevis* development, 1159
Glial cell–derived neurotrophic factor, as chemoattractant for RET-expressing epithelial cells, 1337
Glucose, and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 1429
GLUT4, distribution in skeletal muscle fibers, distinct storage compartments recruited by insulin and contractions, 1429
Glycoproteins
ER lectin chaperones affect function of, 963
ERGIC-53 and intracellular transport of, 377
misfolded, degradation of, 1223
Glycosylphosphatidylinositol-anchored protein, imaging fluorescence resonance energy transfer of, 69
G_2/M transition, checkpoint control of, 1013
Golgi, retrograde transport from endosome to, 665
Golgi–endoplasmic reticulum transport, blocked by PDMP, 25
Growth factors, p42/p44 MAPK nuclear translocation induced by, 625
hBubR1, localization to kinetochores, 1
Heart, expression/localization of AKAP100 in, 511
Hemagglutinin, apical sorting signal in transmembrane domain, polarity of transport reversed, 51
Hemidesmosomes, β4 integrin and formation of, 271
Hepatocyte growth factor/scatter factor, as autocrine factor for carcinoma cells, 1145
HepG2 cells, polarized distribution of sphingolipids in, sub-apical compartments operative in, 683
Heterochromatin
association with polycomb group, 887
localization of heterochromatin protein 1 into, 307
Heterochromatin protein 1, cytoplasmic and nuclear fractions of, localization into heterochromatin, origin recognition complex and localization of, 307
Heterogeneous ribonucleoproteins, specific flow patterns during nucleocytoplasmic transport, 1181
Hippocampal neurons, Bassoon in axon terminals of, 499
hrp23, identification and characterization of, present in nucleolus, release from Balbiani ring particles, 1181
Hypertrophy (cardiac myocyte), p38-MAPK pathway and, 523
ICAM-1, migration of monocytes on, 595
Ig superfamily, members interact with neurofascin, 1083
Imaging fluorescence resonance energy transfer, of glycosylphosphatidylinositol-anchored protein, 69
INAD, rhodospin, protein kinase C, and calmodulin bind to, ion channel TRPL binds to, phototransduction-related proteins coupled to, homomultimerization occurs through two PDZ domains, 545
Inflammation control, and cell survival improvement, 1257
Insulin, and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 1429
Integrin
α1β1, activates Shc-mediated growth pathway, unique in vivo signaling function of, 587
α3β1, regulates cytoskeletal assembly, as trans-dominant inhibitor of integrins, 1357
αvβ3, growth factor–dependent activation of, in carcinoma cells, in normal epithelial cells, 1145
αvβ3, and transmigration of monocytes, 595
β1, talin essential for expression of, 1121
β4, and hemidesmosome formation, direct interaction with bullous pemphigoid antigen 180, 271
controlled by cytokine-based autocrine loops, 1145
signaling regulated by Rho family of GTPases, 573
Interaptin, as link between membrane compartments and actin cytoskeleton, and trafficking of secretory vesicles, 735
Interleukin-6, and mature osteoclasts, interaction with extracellular Ca^{2+}, 1347
Invasion, ZAP-70 required for, 1371
IQGAP, yeast homologue of, 443
Iqg1p, promotes budding and cytokinesis, mediates Cdc42p effects on actin cytoskeleton, 443
Junctional adhesion molecule, as new component of endothelial and epithelial junction, regulates monocyte transmigration, codistributes with tight junction components, 117
K16, delays skin maturation, 1035
Karyomeres, as independent units of replication, 1159
Keratinocytes
ability to form hemidesmosome structures, 271
α3β1 integrin as trans-dominant integrin inhibitor in, regulation of adhesion/migration during wound healing, 1357
skin, effect of K16 on, 1035
Kinetochore
localization of Bub1 to, localization of hBubR1 to, 1
localization of MAP kinase at, 1547
ZW10 recruits dynactin and dynein to, role of dynein in, 763
Lateral elements, synaptonemal complex protein 3 forms fibrous core in, 331
LDL receptor clustering motif, interacts with clathrin terminal domain, 59
Leukocyte adhesion, and P-selectin association with clathrin-coated pits, 859
Leukocytes, endothelial selectins and, vascular cell adhesion molecule-1 and, 1381
LFA-1, triggers ZAP-70 activity, not involved in stromal cell–derived factor-1–induced migration, 1371
Light chains, role in function of Myo2p, 711
Lipid domains, annexin XIIIb associates with, 1413
Low density lipoproteins, delivery to lysosomes, 937
Lysosomes, low density lipoproteins delivered to, 937
Madin-Darby canine kidney cells
activation of RET pathway in, 1337
novel apical sorting signal in, 1245
Mannosidase, and glycoprotein degradation, 1223

MAP kinase, role in mitosis, localization at kinetochores, association with centromere-binding protein E, 1547
MAP kinase pathway, multiple functions during mitosis, 1533
MAPK nuclear translocation, requires p42/p44 MAPK activation, nuclear anchoring proteins, 625
MARKS, involved in neuromodulation, 217
MARKS-related domain, phosphorylation of, 485
Mating, yeast, pheromone control of Fus2p-based fusion events during, 1473
M1c1p, as light chain for Myo2p, 711
Mdm20p, excludes cofilin from cytoplasmic cables, 1289
Medial bud, preferential transmission of mitochondrial DNA to, 613
Meiosis (male), spindle self-organization and cytokinesis during, aster formation during, 751
Melanocyte-stimulating hormone, pigment dispersion by, 803
Melanogenesis, stimulated by cAMP, microphthalmia and, 827
Melanophores, regulation of organelle transport in, 803
Melanosomes, dispersion of, aggregation of, 803
Membrane coat complex, involvement in endosome–Golgi retrieval, 665
Membrane compartments, interaptin as link between actin cytoskeleton and, 735
Membrane proteins, transcytosis to apical surface (dynamically unstable microtubules and), transport to basolateral surface (stable microtubules and), 153
Membrane skeleton, regulates lateral diffusion of band 3, 989
Metastasis, ZAP-70 required for, 1371
Microphthalmia, mediates cAMP effect of tyrosinase promoter, in cAMP-mediated melanogenesis, in pigment cell differentiation, 827
Microtubules
  cross-talk between focal adhesions and, influence on cell shape and polarity, stabilization against nocodazole assembly, target contact sites, 181
  dynamics in permeabilized cells, treadmilling and turnover of, 1519
  protein transport and stability of, 201-F as tool for studying functional specialization of, 153
  and regulation of cell polarity, 457
  stabilized by STOP proteins, 167
  γ-tubulin ring complex require for nucleation of, 775
Midbody, localization of dynein/dynactin to, 1023
Mitochondria
  Ca^{2+}-related interaction between endoplasmic reticulum and, and generation of explosive Ca^{2+} signals, 1235
  cross-talk between sarcoplasmic reticulum and, uptake of calcium by, 975
Mitochondrial DNA, sorting in zygotes, preferential transmission to medial bud, 613
Mitochondrial proteins, sorting in zygotes, 613
Mitosis
  checkpoint control guards entry into, 1013
  multiple functions of MAP kinase pathway during, novel role of extracellular signal–regulated kinase in, 1533
  polycomb group–heterochromatin association maintained throughout, 887
  role of MAP kinase in, 1547
Mitotic centromere–associated kinesin, essential for anaphase, 787
Monocytes
  αvβ3 integrin and transmigration of, 595
  transmigration regulated by junctional adhesional molecule, 117
Morphogenesis, and cell fusion, *AXL1* required for, *RSR1* and *BUD3* required for, 1473
Morphogenesis checkpoint (yeast), monitors actin cytoskeleton, 1487
MukB proteins, symmetrical structure of, coiled coils in, 1595
Multidrug resistance proteins, and PDMP, 25
Muscle cells, Bcl-2 and development of, 537
Muscle contractions, and GLUT4 distribution in skeletal muscle, GLUT4 storage compartments recruited by, 1429
Muscle membrane, γ-sarcoglycan deficiency causes defects in, 1279
Muscle-derived stem cells, and cell survival improvement, 1257
Muscular dystrophy
  caused by γ-sarcoglycan deficiency, dystrophin-independent, 1279
  limb-girdle type 2D, in α-sarcoglycan–deficient mice, 1461
Myelin sheath, gap junctions in, 1095
Myelin-associated glycoprotein, differentiating neuronal growth cones respond to, 191
Myf-5, cell cycle–dependent regulation of, and differentiation, 1447
Myoblast transplantation, cell survival after, 1257
Myo2p, M1c1p as light chain for, 711
Myocytes
  activation of p38-MAPK pathway in, 523
  distribution of protein kinase A type I and II regulatory subunits in, 511
MyoD, cell cycle–dependent regulation of, and differentiation, 1447
Myofibroblastic phenotype, induction by transforming growth factor-β1, and fibronectin domain ED-A, 873
Myogenesis
  Bcl-2 and, 537
  regulated by FGF receptor–1 intracellular domain, 241
NAB2, overexpression inhibits PC12 cell differentiation, and $p21^{WAF}$ downregulation, 1075
Nerve growth factor
  proliferation/differentiation of PC12 cells in response to, 1075
  and protein degradation–synthesis coupling, 1313
N-Ethylmaleimide, inhibits dislocation of TCR α chain from endoplasmic reticulum, 365
Neural cell adhesion molecule, apical polarity of, 697
Neurites, STOP proteins required for normal formation of, 167
Neuritogenesis, role of cRac1B during, 815
Neurofascin
  $ankyrin_G$, membrane-binding domain and, 1571
  modulated by alternative splicing, molecular interactions of, and axonal outgrowth, 1083
Neuroglian, requirements for signaling by, and recruitment of ankyrin to cell contact sites, expression leads to cell aggregation, 251
Neuromodulation, involvement of MARKS in, 217
Neuronal cell differentiation, increased STOP and STOP variant levels expressed during, 167
Neuronal growth cones, respond to inhibitory cues, 191
Neuronal migration, involvement of protein tyrosine zeta and pleiotropin in, 203
Neurons
  adducin phosphorylation in, 485
  cRac1B induces neuritogenesis in, cRac1B increases neurite branching in, 815
  cytochrome c activity and apoptosis, 1583
  degradation–synthesis coupling in, homeostatic control of size and function, 1313
  STOP proteins and microtubule stabilization in, 167
Neutrophil extracts, Cdc42-induced actin polymerization in, 1001
Nonmuscle cell signaling and function, heterogeneity of ER Ca^{2+} has role in, 1395
Nopp140, as link between nucleolus and coiled bodies, 319
Nuclear anchoring proteins, and MAPK nuclear translocation, 625
Nuclear translocation, of p42/p44 MAPK, 625
Nucleocytoplasmic transport, behavior of heterogeneous ribonucleoproteins during, 1181
Nucleolus
  building process during *Xenopus laevis* development, pre-ribosomal RNAs and organization of, organization unrelated to polymerase I transcription, 1167
  hrp23 present in, 1181
  linked to coiled bodies by Nopp140, 319
Nucleoporins, in *Drosophila*, 1195
5′ nucleotidase, distribution in apical plasma membrane, imaging fluorescence resonance energy transfer of, 69
Nucleus, unaffected by disappearance of coiled bodies, 899
Nup154 Drosophila gene, cloning/characterization of, protein product localization, involvement in male/female gametogenesis, relationship to *Nup155* vertebrate nucleoporin gene, 1195
Nup155 vertebrate nucleoporin gene, *Nup154 Drosophila* gene related to, 1195
Oligodendrocytes, differentiating neuronal growth cones respond to, 191
Oligosaccharide structure, and glycoprotein degradation, 1223
Organelle, regulation of transport, 803
Origin recognition complex, and heterochromatin protein 1 localization, 307
Osteoblasts, bone morphogenetic protein receptor in speciation/differentiation of, 295
Osteoclastic bone resorption, regulated by interleukin-6, extracellular Ca^{2+} and regulation of, 1347
Osteoclasts, interleukin-6–extracellular Ca^{2+} interactions in, 1347
$p27^{KIP1}$, mediates E-cadherin–dependent growth suppression, E-cadherin and elevation of, 557
$p21^{WAF}$, restores PC12 cell differentiation, downregulation caused by NAB2 overexpression, 1075
p38 MAPK pathway, activated by G protein–coupled receptor agonists, activation in myocytes, and cardiac myocyte hypertrophy, 523
p42/p44 MAPK, and MAPK nuclear translocation, 625
PACS-1 (phosphorylation state-dependent sorting protein), required for furin cycling loop, 1399

Patches, morphology and dynamics of, relationship between cables and, 1501
PC12 cells, differentiation inhibited by NAB2, $p21^{WAF}$ restores differentiation of, proliferation/differentiation in response to nerve growth factor, 1075
PDMP, and Golgi–endoplasmic reticulum transport, and multidrug resistance, and calcium homeostasis, 25
PDZ domains, and INAD homomultimerization, 545
Perinuclear cytoplasm, diffusion between adaxonal cytoplasm and, 1095
Permeabilized cells, microtubule dynamics in, 1519
Peroxisomal protein import, Djp1p required for, cytosolic chaperones involved in, 421
Peroxisome
  Djp1p required for protein import to, 421
  targeting of thiolase to, 403
Pex20p, role in oligomerization of thiolase, role in peroxisomal import of thiolase, 403
Phenylphrine, and p38-MAPK pathway activation, 523
Phospholipase Cγ1, involvement in truncated c-kit–induced egg activation, 1063
Phototransduction proteins, coupled to INAD, 545
Piccolo, Bassoon colocalizes with synaptophysin and, 499
Pigment cells, microphthalmia and differentiation of, 827
Plasma membrane, secretory protein transport to, 153
Plasma transglutaminase, synthesis upregulated in hypertrophic chondrocytes, zymogen activation, and cell death, activity externalized into extracellular matrix, 1135
Pleiotropin, involvement in neuronal migration, protein tyrosine phosphate zeta as neuronal receptor of, 203
Polycomb group complex, association with pericentromeric heterochromatin, and formation of novel nuclear domain, inheritance by daughter cells, 887
Polymerase I transcription, unrelated to de novo nucleolar building, 1167
PP2A, isoform regulates endosome sorting, 1399
Pre-ribosomal RNAs, and organization of nucleolar domain, 1167
Presynaptic cytoskeleton, novel component of, 499
Prevacuolar/endosomal compartment, and vacuole–*trans*-Golgi retrograde traffic, 651
Procathespin, ERGIC-53 and secretion of, 377
Progenitor basal cells, K16 expressed in, 1035
Proliferation, suppressed by E-cadherin, 557
Prophase, checkpoint control during early stage of, reversal of, 1013
Protease, and morphogenic responses during yeast cell fusion, 1473
Protein 4.1, CASK/LIN-2 binds, 129
Protein kinase A
  AKAP100 colocalizes with type II regulatory subunit, type I and II regulatory subunits distribution in myocytes, 511
  and organelle transport regulation, and melanosome dispersion, 803
Protein kinase C
  adducin as in vivo substrate for, 485
  association with INAD signaling complex, 545
  and organelle transport regulation, and melanosome dispersion, 803
Protein phosphatase 2A, and organelle transport regulation, mediates melanosome aggregation, 803
Protein sorting, regulation of (within *trans*-Golgi network/endosomal system), 1399
Protein targeting, interactions with signal recognition particle during, 341
Protein transport, microtubule stability and, 153
Protein turnover, in sympathetic neurons, 1313
Protein tyrosine phosphate zeta, involved in neuronal migration, as neuronal receptor of pleiotropin, 203
Protein–protein interaction, signal sequences recognized by, 355
Proteins, degradation–synthesis coupling, 1313
Proteolysis, Ste24p and, 635
P-selectin
  cytoplasmic domain of, association with clathrin-coated pits, 859
  dimerization of P-selectin glycoprotein ligand-1 essential for functional recognition of, 263
  as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 1381
P-selectin glycoprotein ligand-1, dimerization essential for functional recognition of P-selectin, 263
Rac, regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 573
Rac1
  involved in development of epithelial cell polarity, 85
  regulates epithelial tight junction structure/function, 101
RB47, and translation of chloroplast *psbA* mRNA, 435
Receptor tyrosine kinases, and elevation of p27, 557
Recombination, synaptonemal complex protein 3 and regulation of, 331
Redox potential, and removal of membrane proteins from endoplasmic reticulum, 365
Replication, karyomeres as independent units of, 1159
RET-GDNF pathway, stimulates epithelial cell, migration/chemoattraction, cellular responses to activation of, 1337
Retinal pigment epithelium, suppresses basolateral signal recognition, 697
Retromer complex, role in endosome–Golgi retrieval, 665
Rho, regulates integrin signaling, morphological changes regulated by, regulates cell spreading, 573
Rho family GTPases, regulate integrin signaling, and cytoskeletal organization, morphological changes regulated by, regulate cell spreading, 573
RhoA
  involved in development of epithelial cell polarity, 85
  regulates epithelial tight junction structure/function, 101
Rhodopsin
  association with INAD signaling complex, 545
  targeted to apical plasma membrane, cytoplasmic tail contains apical sorting signal, 1245
Ribonucleoprotein export, behavior of heterogeneous ribonucleoproteins during, 1181
Saccharomyces cerevisiae
  actomyosin contractile ring in, cytokinesis in, 1301
  AP-3–dependent sorting in, 913
  DJP1 gene in, 421
  glycoprotein degradation in, 1223
  maturation of **a**-factor precursor in, 635
  M1c1p as a light chain for Myo2p in, 711
  spatial regulation of exocytosis in, 609
  SRP1-2–encoded protein in, 341
Saccharomyces cerevisiae **a**-factor receptor, ubiquitination/endocytosis/vacuolar degradation of, 949
α-Sarcoglycan, and limb-girdle muscular dystrophies, 1461
γ-Sarcoglycan, deficiency leads to muscular dystrophy, deficiency with normal dystrophin content/localization, dystrophin–dystroglycan–laminin link unaffected by deficiency of, 1279
Sarcoglycan–sarcospan complex, and association of α-dystroglycan with sarcolemma, 1461
Sarcolemma, α-dystroglycan stably associated with, 1461
Sarcoplasmic reticulum, cross-talk between mitochondria and, focal release of calcium by, 975
SCAR, suppresses receptor defects in *Dictyostelium* development, as conserved negative regulator of G protein–coupled signaling, role in actin cytoskeleton organization, 1325
Schizosaccharomyces pombe, regulation of cell polarity in, 457
Schwann cells, gap junctions in, 1095
Secretion, role of ERGIC-53 in, 377
Secretory pathway, vacuolar ATPase transported through, 39
Secretory vesicles, interaptin and trafficking of, 735
Septins, required for yeast cytokinesis, 1301
SERCA2 isoforms, differential Ca^{2+} wave properties of, sensitivity to calreticulin modulation, functional differences between, 963
SH3 domain of phospholipase Cγ1, essential for truncated c-kit–induced egg activation, 1063
Signal recognition particle receptor, GTPase domain in β-subunit of, as regulatory switch, association with endoplasmic reticulum, 341
Signal sequence recognition, in cotranslational translocation, endoplasmic reticulum and, 355
Sister centromere separation, coordinated by mitotic centromere–associated kinesin, 787
Skeletal muscle
  distribution of α-dystrobrevin in, 1269
  distribution of GLUT4 in, glucose transport in, 1429
Skeletal muscle cells
  Bcl-2 and development of, 537
  differentiation regulated by FGF receptor–1 intracellular domain, FGF receptor–1 intracellular domain insufficient to support proliferation of, 241
Skin, K16 delays maturation of, 1035
SMC (structural maintenance of chromosomes) proteins, symmetrical structure of, coiled coils in, 1595
Spectrin
  annexin VI–mediated loss of, 937
  recruited to actin filaments, 485
Spectrin-binding domains, and ankyrin$_G$–neurofascin complexes, 1571

Sperm, control of Ca^{2+} entry into, cyclic nucleotide-gated channels in, motility of, 473
Spermatozoa, truncated c-kit in, 1063
Sphingolipids, sorting in sub-apical compartments, polarized distribution in HepG2 cells, 683
Sphingosine-1-phosphate, as ligand for cell surface receptor, regulates cell proliferation and survival, 229
STE3 sequence, endocytosis/ubiquitination signal defined by, 949
Ste24p
  dual roles in **a**-factor activation, isolation of human homologue, 635
  human, complements yeast double mutant strain, mediates proteolytic events, 635
STOP proteins, and microtubule stabilization in neurons, required for normal neurite formation, increased expression during neuronal cell differentiation, 167
Stromal cell–derived factor-1, cell migration induced by (ZAP-70– and LFA-1–independent), 1371
Sub-apical compartments, sphingolipid sorting in HepG2 cells, 683
Swe1p, cell cycle delay dependent on, 1487
Synapses, CASK–syndecan interaction and overlapping distribution in, 139
Synapsis, synaptonemal complex protein 3 and regulation of, 331
Synaptonemal complex, lateral elements of, 331
Synaptonemal complex protein 3, as filament-forming protein, and regulation of synaptic and recombination processes, 331
Synaptophysin, Bassoon colocalizes with Piccolo and, 499
Syndecan, interaction with CASK in neuronal synapses, potential role in adhesion/signaling at neuronal synapses, CASK/LIN-2 binds to, 139
Syndecan-2, CASK/LIN-2 binds, 129
T cell migration, ZAP-70 required for (LFA-dependent), independent of ZAP-70 and LFA-1 (stromal cell–derived factor-1–induced), 1371
Talin, role in cell–matrix interaction, and β1 integrin expression, and focal adhesion assembly, 1121
TCR α chain, dislocation from endoplasmic reticulum inhibited, 365
Tectal cells, neurofascin and attachment/neurite formation of, 1083
Tenascin-R, interaction between neurofascin and, and neurite growth of tectal cells, and neurite growth of tectal cells, 1083
TGN38, transport to *trans*-Golgi network, 923
Thiabendazole, and microtubule-regulated cell polarity, 457
Thiolase, Pex20p and oligomerization of, Pex20p and peroxisomal import of, 403
Tight junctions, junctional adhesion molecule codistributes with components of, 117
trans-Golgi network
  annexin XIIIb localized to, 1413
  retrograde traffic into, 651
  TGN38 trafficking to, 923
trans-Golgi network/endosomal system, regulation of protein sorting within, 1399
Transcytosis, of membrane proteins to apical surface, 153
Transendothelial migration, of monocytes, 595
Transforming growth factor-β1, myofibroblastic phenotype induction by, 873
Transgenic mouse, K16 delays skin maturation in, 1035
Translational regulation, in chloroplast, 435
Transmembrane domain, apical sorting signal in, mutations in middle of, 51
Treadmilling, as important mechanism of microtubule turnover, 1519
Tropomyosin, excludes cofilin from cytoplasmic cables, 1289
TRPL, binds to INAD, 545
Truncated c-kit, activates phospholipase Cγ1, egg activation induced by, 1063
t-SNARE protein, adaptor protein–specific sorting signal in, 913
γ-Tubulin ring complex, recruitment of, required for microtubule nucleation at the centrosome, 775
Tumor invasion, and αvβ3 integrin activation, 1145
Twinfillin, regulates actin cortical cytoskeleton, forms molar complex with actin, 723
Tyrosinase, cAMP stimulates expression of, 827
Ubiquitin, directs endocytosis, 949
Ubiquitination, directed by STE3 sequence, 949
Utrophin, regulated pairing of α-dystrobrevins with, 1269
VAC7, and vacuole–*trans*-Golgi network retrograde traffic, 651
Vacuolar ATPase, assembly in endoplasmic reticulum, and Vma12p/Vma22p assembly complex, transport through secretory pathway, 39
Vacuole
  retrograde traffic out of, alternate route to, 651
  trafficking of Vam3p to, 913
  vacuolar ATPase transported to, 39
Vam3p, sorting requires di-leucine sequence, transport to vacuole through AP-3 pathway, 913
Vascular cell adhesion molecule-1, as signaling and adhesion receptor, adheres leukocytes, mediates endothelial stimulation, 1381
Vesicular carriers, annexin XIIIb localized to, 1413
Vinculin, interaction with αE-catenin, 847
Vma12p/Vma22p assembly complex, interaction with V_0 subunits of endoplasmic reticulum, required for assembly of vacuolar ATPase, 39
Vps10 receptor, endosome–Golgi transport of, 665
v-SNARE, and retrograde transport out of vacuole, 651
Vti1p, and retrograde transport out of vacuole, 651
WASP, and actin cytoskeleton organization, proteins related to, 1325
Wound healing, regulation of keratinocyte adhesion/migration during, 1357
Xchk1 (recombinant *Xenopus* Chk1), role in checkpoint control, caffeine disrupts function of, 1559
Xenopus laevis
  genome dynamics during development of, 1159
  organization of nucleoli during development of, 1167
X inactivation, and Xist RNA localization, 13
Xist RNA, localization uncoupled from stabilization, and X inactivation, 13
Yarrowia lipolytica, *pex20-1* mutant strain of, 403
Yeast
  actin organization checkpoint in, 1487
  actomyosin contractile ring in, cytokinesis in, 1301
  assembly/function of actin cytoskeleton in, 1501
  endosome–Golgi retrograde transport in, 665
  glycoprotein degradation in, 1223
  morphogenesis and cell fusion in, 1473
  rapid actin dynamics in, 1289
  regulation of cortical actin cytoskeleton in, 723
  shared cell polarity mechanism between *Drosophila* and, 1209
  vacuole–*trans*-Golgi network retrograde traffic in, 651
ZAP-70 tyrosine kinase, required for invasion and metastasis, required for LFA-1–dependent migration, not involved in LFA-1–independent migration, 1371
ZW10, recruits dynactin and dynein to kinetochore, 763
Zygotes, sorting of mitochondrial DNA/mitochondrial proteins in, 613